

Modern Trends in Cosmetic Vaginal Surgery

Adeviye Elçi

Member of European Society of Aesthetic, Gynaecology, Doğubeyazit /Ağrı, Turkey

Article Information

Received: 26 Aug 2015

Accepted: 10 Nov 2015

Plagiarism software: Turnitin



Adeviye Elçi

Labia minora and majora are the most important part of female external genitalia. Most of the women are disturbed with their labia minora and majora shape, asymmetry or size. So nowadays labiaplasty operation is as popular as nose, lip, hip, breast, aesthetic surgeries. This is a retrospective analysis from October 2014 to July 2015 in Meram Medicine Faculty of Üniyersty Hospital, Konya, in Turkey. 167 women consulted the doctor especially for labiaplasty. The average range of patients age is 19 to 41. Only four of them are single, while the others are got married. 92 patients ashamed to their partner because of their unshaped asymmetric labia minora. 44 patients consulted us for their suggested labia majora. 12 girls consulted us for very thin labia majora. 11 women's labia majora were damaged at a traffic accident. 8 women wanted to be cut down their suggested and prolonged labia minores. After preoperative

preparation patients operated lithotomy position under spinal anesthesia. 3-0, 4-0 and 6-0 rapid vycrl sutures are used according to patient labial tissue and skin. After aesthetic and symmetric cut down the labia minora or majora whole of them sutured subcutaneous with 4-0 or 6-0 rapid vycrl. postop 36 hours patients were discharged from the hospital. They didn't apply any cosmetic or antiseptic solution on the incision line. They could take a shower after average 48 hours from the surgery. During the one month after the surgery, they avoid from sexual intercourse. 1 month later, when they came to postoperative control, %94 patients happy and satisfied with the labiaplasty, %4 patients were unsatisfied and wanted to reoperation. %2 patients had infection on incision line. As a result, labiaplasty operation is getting much more popular in women nowadays. While the married women, single ladies want to consult the doctor for labiaplasty. Except the incision line infection, there is no any major complication of the operation. The success of the surgery is changeable according to experience of the surgeon and couples satisfy.

Access this article online

Website:	Quick Response code
www.actamedicainternational.com	
DOI: 10.5530/ami.2016.1.45	

How to cite this article: Adeviye Elçi. Modern Trends in Cosmetic Vaginal Surgery. Acta Medica International. 2016;3(1):219-219.

Source of Support: Nil, **Conflict of Interest:** None declared.

Corresponding Author:

Member of European Society of Aesthetic, Gynaecology, Doğubeyazit /Ağrı Turkey. E-mail: dradeviye@gmail.com